

N O R D I S K A KVALITETS POOLER



... QUALITY FIBERGLASS POOLS SINCE 1958 ...

PROUDLY
MADE IN THE



026-22 22 350

www.nordiskakvalitetspooler.se

Pleasure Now and for a lifetime





← Your Logo Goes Here

Nordic Quality Pools offer pools and a spa tub with premium quality. Our San Juan fiberglass pools are hand-made in the United States and have 25 years of factory warranty. The accessories are included in the price and the installation is simple. With American Marquis Whirlpool, you can swim outdoors all year long. With effective cleaning, comfortable printing and quiet bubbles, we are completely unique in the market.

Since 2007, Nordic Quality Pools have been providing pools, hot tubs and pool accessories for customers in Sweden and Scandinavia.

Nordic Quality Pools stand for quality, and therefore we work with world-leading suppliers such as San Juan, Marquis® and Certikin.

We have a well-established retail network across Sweden.

The USA is - and has always been - the world's largest market for pools and hot tubs. It is therefore no coincidence that we have chosen to collaborate with experienced US suppliers.

Nordic Quality Pools offer you the market's absolute best products with many affordable alternatives.

On our website we present important things to consider before deciding. We do this because we know that our products have unbeatable benefits.



For example, we always deliver complete solutions where extra equipment is included in the price. We cooperate with retailers who give you a price of the contracts that are added when building a pool.

In our model program, we have the pools and hot tubs that maintain the highest quality of the market - giving you the greatest choice regarding color, shape and model.

Visit
us on
Facebook



nordiskakvalitetspooler.se



Telephone
Office

026-22 22 350



Pool Buying Comparative

San Juan

Fiberglass Pools Benefits

vs. Gunite Difference

vs. Vinyl liner Difference

Features

Warranty	25 year non-prorated structural warranty	One year by contractor	Pro-rated only on seam separation
Installation Time	Within days	8 + weeks	5 weeks
Product Quality	Manufactured in a controlled environment	Quality dependent on job-site conditions	Quality dependent on work force
Design Options	100+ models to choose from	Unlimited	Limited to standard shapes
Durability	Flexes under pressure	Rigid, cracks with movement	Punctures and tears
Interior Finish	Smooth, skin friendly	Very rough	Slippery, rough seams
Swim outs, steps, benches, sundecks	One-piece molded in	Only at an additional cost	Drop in type or ladder
Water Chemistry	No harsh chemicals needed	Requires miratic acid	No harsh chemicals needed

Eco Friendly

Lower chemical use means less impact to the environment. Little or no chemical runoff to harm water table and up to 75% less packing material going to landfills.

Because of the smooth fiberglass finishes, algae and mildew doesn't adhere, this enables shorter pump run times, less than half of a gunite pool, resulting in much less electrical consumption and lower monthly bills. Self insulated fiberglass construction increases the pools ability to maintain water temperature. This also shortens heater run times reducing the energy needed to keep your pool warm.



SAN JUAN PRODUCTS DISCLAIMER

San Juan Products Inc. manufactures fiberglass pools and distributes its pools through its independent dealers (the "Dealers") The relationship between San Juan products and its dealers is a similar relationship. No Dealer has any authority of any kind or nature whatsoever to enter into any contract or agreement binding upon San Juan Products, or any partner or affiliate of San Juan Products. San Juan Products has no responsibility or liability whatsoever for or with respect to any persons performing any services on the part of any dealer, including, but not limited to, such, Dealer's employees, contractors and /or agents. San Juan Products has no right to control or direct any employees, contractors and /or agents of any Dealer, with each Dealer's repair services or any other services, shall ever be construed to be employees, contractors or agents of San Juan Products, or of any partner or affiliate of San Juan Products.

All measurements are outside dimensions (OD) and are approximate. Dimensions may vary upon installation. Check local and state building codes for diving specifications. Diving is not recommended for pools under 12 feet deep.

San Juan Products disclaims any liability for any act or omission on behalf of any Dealer. San Juan Products obligation concerning pools manufactured by it is limited to San Juan Products' obligation to its customers.

Images Disclaimer: San Juan Pools has made a concerted effort to provide images that accurately represent the actual color of your pool, however the Iridium process contains a slight color difference. Please contact San Juan to receive an actual color sample to truly experience the beauty of Iridium!

Fiberglass Pool Construction Comparative

San Juan Fiberglass Pools Benefits

Chopped / Composite Fiberglass Pools Difference

Features

Gel Coat	32-Mil total	15-Mil typical
Vinyl Ester Resin	Used throughout entire pool	Typically used on first layer only
Hand Laid	Consistent level of thickness Overlapping seams creates a super structure 15 layers thick	No consistency in thickness Sprayed on
Woven Roving	Provides significant strength to entire pool	<u>Not used</u> on chopped pools
Sprayed Chop	Not used on San Juan Pools	Lowest cost construction method
Resin	Higher glass to resin ratio	Lower glass to resin ratio
Coring & Fillers	Not used on San Juan Pools	Makes walls brittle Inhibit flexural strength
Interior ledges	Not needed on hand laid pools	Used to stiffen pool walls, makes area smaller

San Juan high-strength hand-laid fiberglass pools don't require ledges!

Cheap sprayed on fiberglass pools are built with ledges around them. They are marketed as "safety ledges". These ledges are added to compensate for the weakness of chopped fiberglass pools. Rather than offer safety, they can actually increase the risk of injury. They also make the bottom of the pool significantly narrower and reduce the play area.



All dealers/contractors are independent and not agents for manufacturers.

Each of the Dealers is an independent contractor relationship and shall never be deemed or construed to be an employment, a partnership, a joint venture, an agency or any other relationship of San Juan Products. Furthermore, no Dealer has any authority of any kind or nature whatsoever to create any obligation on the part of San Juan Products, or of any partner or agent, including, without limitation, Any installation services or any repair services, and all such persons performing any such services on the part of any Dealer are and shall remain independent contractors. No persons performing any services on the part of any Dealer, whether installation services, repair services, or any other services, shall have the sole right to control and direct its employees, contractors and /or agents. No persons performing any services on the part of any Dealer, whether installation services, repair services, or any other services, shall have the sole right to control and direct its employees, contractors and /or agents.

Installation requirements may vary by region. All quick entry devices shall be installed in accordance with the manufacturer's specifications.

San Juan Products Limited Warranty to Original Retail Buyer. (Limited Warranty to original retail buyer).


There are natural variations in color, tone, and grain that are difficult to reproduce on brochures and monitors. We cannot guarantee that these images represent the actual colors of the product.

World's Largest Fiberglass Pool

San Juan Fiberglass Pools'
Satin Smooth Finishes




White



Sully Blue



Blue Lagoon



Granite



HONOR PROGRAM

For many years San Juan Pools has paid tribute to the Disabled Veterans of our armed forces by donating an installed San Juan Fiberglass pool to aid in their recovery. This year we have taken a larger step in honoring the military personnel of the United States Army, Navy, Air Force, Marine Corps and Coast Guard by establishing a special "HONOR PROGRAM" whereby a contribution towards their unselfish service to our country can be made.

San Juan Builds The Strongest Pools In The World!


100% Proprietary Vinyl Ester Resin Throughout Pool
100% Hand Laid Fiberglass (NO Chop)



32-mil Gel Coat
the thickest in the Industry
(two 16-mil layers)

1.5 oz Strand Mat
(three layers)

24 oz Woven Roving
(two layers)




TIME LAPSE
Building a SJP Pool



TIME LAPSE
Installing a SJP Pool



For all ACTIVE DUTY and RETIRED MILITARY PERSONNEL San Juan Pools has initiated an HONOR PAYMENT PROGRAM for each San Juan Fiberglass pools purchased. An Honor Payment will be sent to you by US Mail upon receipt of the payment certificate. For each of you who purchase a San Juan pool shell we will send your certificate to you upon receipt of your completed warranty form and active duty or retired support document. Your payment will vary according to pool shell size listed below.

A photograph of a swimming pool with a slide and a building in the background. The pool is filled with clear blue water. A metal handrail is visible in the foreground. In the background, there is a large, multi-story building with a balcony and a slide leading into the pool.

WHAT MAKES SAN JUAN FIBERGLASS POOLS THE BEST IN THE INDUSTRY:

- San Juan Pools started the fiberglass pool industry in 1958 and has been manufacturing the finest pools ever since.
- San Juan Pools has over 60 years of experience in building quality fiberglass pools. All other fiberglass companies have been manufacturing pools for far less.
- San Juan Pools is the largest manufacturer of fiberglass pools in the world.
- San Juan Pools manufacture and inventory over 100 different pool & spa models. The model selection includes a series of One-piece Pool and Spa Combinations, Infinity Edge Pools, Perimeter Overflow, Therapy and Free-Form Pools.
- San Juan Pools uses 100% proprietary vinyl ester resin throughout the entire laminate structure. Vinyl ester resin is the toughest, most impenetrable and most expensive resin used in the fiberglass industry today. San Juan Pools is the only manufacturer that uses vinyl ester resin throughout the entire process.
- San Juan Pools have a minimum of five hand laid layers of fiberglass. Unlike other companies, we do not use chopped fiberglass, coring or other fillers that can make walls brittle and inhibit the flexural strength of the fiberglass. This allows our pool to expand and contract with expansive soils, earthquakes and freezing temperatures.
- San Juan Pools uses a satin smooth 32-mil gel coat finish on its pool surfaces, consisting of two separate 16-mil applications of gel coat. Our special formula gel coat finish applied on our pool surfaces is much more resistant to fading than the colored finishes that other companies offer. San Juan offer 4 different Iridium and 2 standard gel coat colors that all stand up to the test of time.
- San Juan Pools offer a 25 year structural limited warranty and a 10 year surface (gel coat) limited warranty; San Juan Fiberglass Pools has been in continuous business for over 60 years. **Caution: Some companies offer a lifetime warranty (that means 7 years in most jurisdictions).*



Cold Resistant

Even under the extreme cold temperature by using Liquid Nitrogen (**-321degrees fahrenheit**) a San Juan Fiberglass pool doesn't fail. As you can see in the photos, vinyl liners and concrete crack and break, San Juan does not. This proves that San Juan Pools hold up in extreme cold temperatures.



Acid Resistant

Muriatic Acid can't harm a San Juan Fiberglass Pool! Acid is a major component in your water chemistry and when not maintained properly it can hurt the finish. This test shows how swimming pool acid can destroy a concrete pool. Pouring Muriatic Acid directly on a concrete pool starts destroying it immediately, however, **it has no effect on San Juan pools.**



Heat Resistant

Using a high temperature acetylene torch (**5,700 degrees fahrenheit**) with its ability to cut through steel still can't hurt a San Juan Pool as you can see in these photos. This proves that San Juan Pools hold up in extreme hot temperatures.




Impact Resistant

Bullet-Proof San Juan Fiberglass Pools! **That's right bullet-proof!** From 15ft away with a 9mm, 380 cal, 45 cal 44 magnum and even the super powerful 454 and a 460! This demonstrates the incredible impact strength of our San Juan Fiberglass pools.



Rooftop Pools



Floating Pools



Frozen Pools



- Monte Carlo -



Animal Friendly Pools




- Lelani -





- Caesar's Palace -



- Wylela -



- Luxor -



- Gulf Breeze -



- Desert Springs -



- Taj Mahal -





- Margarita Spa -



- Fun Deck -





Width:15'11" / 4.85 M
Length:44'7" / 13.59 M
Depth:3'8"-7'10" / 1.12 M-2.39 M
Area:658 ft² / 61.1 M²
Volume:22,000 G / 83,279 L



Width:15'11" / 4.85 M
Length:44'7" / 13.59 M
Depth:3'8"-6'4" / 1.12 M-1.93 M
Area:658 ft² / 61.1 M²
Volume:19,000 G / 71,923 L



Width:16'2" / 4.93 M
Length:40'6" / 12.34 M
Depth:3'8"-6'4" / .97 M-1.93 M
Area:602 ft² / 56 M²
Volume:20,600 G / 77,979 L



Width:16'1" / 4.9 M
Length:42'4" / 12.9 M
Depth:3'3"-7'11" / .99 M-2.41 M
Area:585 ft² / 54 M²
Volume:20,500 G / 77,601 L



Width:16'1" / 4.9 M
Length:39'10" / 12.14 M
Depth:3'3"-7'11" / 1.12 M-2.41 M
Area:559 ft² / 52 M²
Volume:20,500 G / 77,601 L



Width:16'2" / 4.93 M
Length:37' / 11.34 M
Depth:3'8"-6'4" / .97 M-1.93 M
Area:540 ft² / 54 M²
Volume:14,600 G / 55,000 L



Width:15'11" / 4.85 M
Length:39'7" / 12.07 M
Depth:3'3"-5'1" / .91 M-1.55 M
Area:531 ft² / 49 M²
Volume:14,400 G / 54,510 L



Width:15'11" / 4.85 M
Length:33'10" / 10.31 M
Depth:3'8"-7'10" / 1.12 M-2.39 M
Area:497 ft² / 46 M²
Volume:17,500 G / 66,244 L



Width:15'10" / 4.83 M
Length:33'10" / 10.31 M
Depth:3'11"-5'1" / 1.17 M-1.55 M
Area:487 ft² / 45 M²
Volume:11,600 G / 43,911 L



Width:15'11" / 4.85 M
Length:31'10" / 9.7 M
Depth:3'8"-5'8" / 1.12 M-1.73 M
Area:467 ft² / 43 M²
Volume:12,000 G / 45,425 L



Width:16'2" / 4.93 M
Length:34'1" / 10.39 M
Depth:3'6"-5'5" / 1.14 M-1.65 M
Area:431 ft² / 40 M²
Volume:13,500 G / 51,103 L



Width:16' / 4.88 M
Length:33'9" / 10.29 M
Depth:3'4"-5'8" / 1.02 M-1.73 M
Area:417 ft² / 39 M²
Volume:11,400 G / 43,154 L



Width:14'1" / 4.29 M
Length:33'1" / 10.08 M
Depth:3'9"-5' / 1.14 M-1.52 M
Area:395 ft² / 37 M²
Volume:11,500 G / 43,532 L



Width:14' / 4.27 M
Length:32'6" / 9.91 M
Depth:3'-8" / .91 M-2.44 M
Area:362 ft² / 34 M²
Volume:14,000 G / 52,996 L



Width:14' / 4.27 M
Length:32'6" / 9.91 M
Depth:3'-5'6" / .91 M-1.68 M
Area:362 ft² / 34 M²
Volume:11,500 G / 43,532 L



Width:15'11" / 4.85 M
Length:27'10" / 8.5 M
Depth:3'3"-5'1" / 1.07 M-1.55 M
Area:356 ft² / 33 M²
Volume:11,300 G / 42,775 L



Width:16' / 4.88 M
Length:36'2" / 11.02 M
Depth:4'8" / 1.42 M
Area:354 ft² / 33 M²
Volume:8,800 G / 33,312 L



Width:14' / 4.27 M
Length:27'1" / 8.26 M
Depth:3'9"-5'9" / 1.07 M-1.75 M
Area:345 ft² / 32 M²
Volume:10,000 G / 37,854 L



Width:13'10" / 4.22 M
Length:29'8" / 9.04 M
Depth:3'7"-5'5" / 1.09 M-1.65 M
Area:302 ft² / 28 M²
Volume:9,500 G / 35,961 L



Width:12'10" / 3.91 M
Length:29' / 8.84 M
Depth:3'6"-6' / 1.07 M-1.83 M
Area:295 ft² / 27 M²
Volume:10,000 G / 37,854 L



Width:14'1" / 4.29 M
Length:27'10" / 8.48 M
Depth:5' / 1.52 M
Area:294 ft² / 27 M²
Volume:9,000 G / 34,069 L



Width:12' / 3.66 M
Length:27' / 8.28 M
Depth:4'3" / 1.3 M
Area:289 ft² / 27 M²
Volume:6,400 G / 24,227 L



Width:8'6" / 2.59 M
Length:40' / 12.19 M
Depth:4'9" / 1.45 M
Area:282 ft² / 26 M²
Volume:8,500 G / 32,176 L



Width:11'9" / 3.58 M
Length:27'11" / 8.51 M
Depth:3'8"-5'6" / 1.12 M-1.68 M
Area:277 ft² / 26 M²
Volume:8,500 G / 32,176 L



Width:12'2" / 3.71 M
Length:26'9" / 8.15 M
Depth:3'5"-5'6" / 1.04 M-1.68 M
Area:266 ft² / 25 M²
Volume:8,000 G / 30,283 L



Width:12' / 3.66 M
Length:28' / 8.53 M
Depth:3'10" / 1.17 M
Area:267 ft² / 25 M²
Volume:6,750 G / 25,551 L



Width:12' / M
Length:25' / 7.62 M
Depth:3'6"-6' / 1.07 M-1.83 M
Area:254 ft² / 24 M²
Volume:8,500 G / 32,176 L



Width:11'5" / 3.48 M
Length:20'9" / 6.32 M
Depth:4' / 1.22 M
Area:240 ft² / 22 M²
Volume:4500 G / 17034 L



Width:12' / 3.66 M
Length:20' / 6.1 M
Depth:3'10" / 1.17 M
Area:212 ft² / 20 M²
Volume:5,600 G / 21,198 L



Width:16' / 4.88 M
Length:26' / 7.32 M
Depth:4'9" / 1.45 M
Area:200 ft² / 19 M²
Volume:5,200 G / 19,684 L



Width:12'1" / 3.68 M
Length:22'4" / 6.81 M
Depth:3'9" / 1.14 M
Area:184 ft² / 17 M²
Volume:5,025 G / 19,022 L



Width:12' / 3.66 M
Length:16'6" / 5.03 M
Depth:3'6" / 1.07 M
Area:171 ft² / 16 M²
Volume:5,200 G / 19,684 L



Width:12'8" / 3.85 M
Length:19'6" / 12.34 M
Depth:3'6" / 1.08 M
Area:288 ft² / 27 M²
Volume:5,200 G / 19,684 L




Width:8'6" / 2.59 M
Length:23' / 7.01 M
Depth:4'9" / 1.45 M
Area:159 ft² / 15 M²
Volume:4,240 G / 16,050 L



Width:10'5" / 3.18 M
Length:21'10" / 6.65 M
Depth:3'8"-4'11" / 1.12 M-1.5 M
Area:157 ft² / 15 M²
Volume:4,800 G / 18,170 L



Width:8'2" / 2.49 M
Length:16'2" / 4.93 M
Depth:4' / 1.22 M
Area:95 ft² / 9 M²
Volume:2,650 G / 10,031 L



Width:10' / 3.05 M
Length:19' / 5.97 M
Depth:3'6" / 1.07 M
Area:144 ft² / 13 M²
Volume:3500 G / 13,249 L



Width:8' / 2.44 M
Length:14' / 4.27 M
Depth:3'6" / 1.08 M
Area:98 ft² / 9 M²
Volume:2,750 G / 10,135 L



Width:11'7" / 3.6 M
Length:7'7" / 2.35 M
Depth:1' / 0.16 M
Area:65 ft² / 7 M²
Volume:150 G / 567 L



Width:8'3" / 2.5 M
Length:12' / 3.64 M
Depth:12" / 0.16 M
Area:80 ft² / 8 M²
Volume:100 G / 378 L



Width:16' / 4.88 M
Length:14' / 4.27 M
Depth:3'3" / 0.99 M
Area:224 ft² / 21 M²
Volume:2100 G / 7,949 L

MODEL Details





Width:16' / 4.88 M
 Length: 45' / 13.72 M
 Depth:3'6"- 8' / 1.07 M -2.44 M
 Area:560 ft² / 52 M²
 Volume:..... 20,000 G /75,708 L



Width:16' / 4.88 M
 Length: 45' / 13.72 M
 Depth:3'6"- 6'4" / 1.07 M -1.93 M
 Area:560 ft² / 52 M²
 Volume:..... 18,000 G /68,137 L



Width:16' / 4.88 M
 Length: 39'8" / 12.09 M
 Depth:3'6"- 7'11" / 1.12 M -2.41 M
 Area:496 ft² / 46 M²
 Volume:..... 17,950 G /67,948 L



Width: 15'8" / 4.78 M
 Length: 39'8" / 12.09 M
 Depth: 3'6"-5'4" / 1.12 M -1.63 M
 Area: 466 ft² / 43 M²
 Volume:..... 14,050 G / 53,185 L



Width: 16' / 4.88 M
 Length: 37'4" / 11.38 M
 Depth: 3'6"- 6'4" / 1.14 M -1.93 M
 Area: 455 ft² / 42 M²
 Volume:..... 13,700G / 51,860 L



Width: 16'2" / 4.93 M
 Length: 39'1" / 11.91 M
 Depth: 3'- 6' / .91 M -1.83 M
 Area: 448 ft² / 42 M²
 Volume:..... 14,000 G / 52,996 L



Width: 15'7" / 4.75 M
 Length: 33'1" / 10.08 M
 Depth: 3'8"- 8' / 1.12 M -2.44 M
 Area: 375 ft² / 35 M²
 Volume:..... 11,300 G / 42,775 L



Width: 15'7" / 4.75 M
 Length: 33'1" / 10.08 M
 Depth: 3'8"-5'9" / 1.12 M -1.75 M
 Area: 375 ft² / 35 M²
 Volume:..... 10,400 G / 39,368 L



Width:15'2" / 4.60 M
 Length: 32'7" / 12.34 M
 Depth:5'7" / .97 M -1.70 M
 Area:402 ft² / 38 M²
 Volume:..... 10,000 G /39,000 L



Width: 13'11" / 4.85 M
 Length: 27'10" / 8.5 M
 Depth: 3'7"-5'5" / 1.09 M -1.65 M
 Area: 356 ft² / 33 M²
 Volume:..... 8,300 G / 31,418 L



Width: 13'9" / 4.19 M
 Length: 32'10" / 10.01 M
 Depth: 3'6"- 8' / 1.07 M -2.44 M
 Area: 354 ft² / 33 M²
 Volume:..... 13,700 G / 51,860 L



Width: 13'9" / 4.19 M
 Length: 32'10" / 10.01 M
 Depth: 3'6"-5'10" / 1.07 M -1.78 M
 Area: 354 ft² / 33 M²
 Volume:..... 10,300 G / 38,990 L



Width: 15'10" / 4.83 M
 Length: 28'4" / 8.64 M
 Depth:3'6"- 5'7" / .91 M -1.7 M
 Area: 324 ft² / 30 M²
 Volume:..... 10,000 G / 37,854 L



Width: 14'10" / 4.52 M
 Length: 28' / 8.53 M
 Depth: 3'6"- 5'4" / 1.04 M -1.63 M
 Area: 311 ft² / 29 M²
 Volume:..... 9,500 G / 35,961 L



Width: 14' / 4.27 M
 Length: 30' / 9.14 M
 Depth: 3'1"- 6' / .94 M -1.83 M
 Area: 290 ft² / 27 M²
 Volume:..... 6,800 G / 25,741 L



Width: 14' / 4.27 M
 Length: 30' / 9.14 M
 Depth: 3'1"- 6' / .94 M -1.83 M
 Area: 290 ft² / 27 M²
 Volume:..... 6,800 G / 25,741 L



Width: 11'11" / 3.63 M
 Length: 27'10" / 8.48 M
 Depth: 3'6"- 6' / 1.07 M -1.83 M
 Area: 242 ft² / 22 M²
 Volume:..... 8,000 G / 30,283 L



Width: 12' / 3.66 M
 Length: 25'10" / 7.87 M
 Depth: 3'7"-5'7" / 1.09 M -1.7 M
 Area: 218 ft² / 20 M²
 Volume:..... 6,800 G / 25,741 L



Width: 12'3" / 3.73 M
 Length: 23'9" / 7.24 M
 Depth: 3'9"-5'11" / 1.12 M -1.8 M
 Area: 217 ft² / 20 M²
 Volume:..... 6,000 G / 22,712 L



Width: 11'8" / 3.56 M
 Length: 25'1" / 7.65 M
 Depth: 3'1"-5'7" / .94 M -1.7 M
 Area: 198 ft² / 18 M²
 Volume:..... 6,600 G / 24,984 L



Width:11'9" / 3.58 M
 Length: 23'9" / 7.24 M
 Depth: 3'6"-5'7" / 1.07 M -1.7 M
 Area: 190 ft² / 18 M²
 Volume:..... 6,600 G / 24,984 L



Width: 11'9" / 3.58 M
 Length: 23'9" / 7.24 M
 Depth: 3'6"-5'7" / 1.07 M -1.7 M
 Area: 190 ft² / 18 M²
 Volume:..... 4,600 G / 17,413 L



Width: 12' / 3.66 M
 Length: 20'9" / 6.32 M
 Depth: 3'8"- 4'11" / 1.12 M -1.5 M
 Area: 179 ft² / 17 M²
 Volume:..... 4,000 G / 15,142 L



Width: 15'10" / 4.83 M
 Length: 17'4" / 5.28 M
 Depth: 3'7"-5'2" / 1.09 M -1.57 M
 Area: 147 ft² / 14 M²
 Volume:..... 4,300 G / 16,277 L



Width: 13'8" / 4.17 M
 Length: 17'4" / 5.28 M
 Depth: 3'7"-5'2" / 1.09 M -1.57 M
 Area: 147 ft² / 14 M²
 Volume:..... 4,000 G / 15,142 L



Width: 11'11" / 3.63 M
 Length: 18'11" / 5.77 M
 Depth: 3'7"-5' / 1.09 M -1.52 M
 Area: 141 ft² / 13 M²
 Volume:..... 3,300 G / 12,492 L



Width: 11'11" / 3.63 M
 Length: 17'2" / 5.23 M
 Depth: 4'2"-5' / 1.27 M -1.52 M
 Area: 119 ft² / 11 M²
 Volume:..... 3,900 G / 14,763 L



Width: 13'5" / 4.11 M
 Length: 20'1" / 6.13 M
 Depth: 3'4"- 5' / 1.03 M
 Area: 151 ft² / 14 M²
 Volume:..... 3,550 G / 13,438 L



Width: 11'6" / 3.51 M
 Length: 18'2" / 5.54 M
 Depth: 3'9" / 1.14 M
 Area: 120 ft² / 11 M²
 Volume:..... 2,050 G / 7,760 L



Width: 10'10" / 3.3 M
 Length: 15'6" / 4.72 M
 Depth: 3'9" / 1.14 M
 Area: 99 ft² / 9 M²
 Volume:..... 2,100 G / 7,949 L



Width:8' / 2.44 M
 Length:12' / 3.66 M
 Depth: 3'2" / 0.97 M
 Area: 85ft² / 8 M²
 Volume:..... 950 G / 3,596 L



Width: 8'10" / 2.69 M
 Length: 8'10" / 2.69 M
 Depth: 3'7" / 1.09 M
 Area:54 ft² / 5 M²
 Volume:..... 755 G / 2,858 L



Width:9' / 2.74 M
 Length:9' / 2.74 M
 Depth: 4' / .64 M
 Area: 64 ft² / 6 M²
 Volume:..... 700 G / 2,650 L



Width: 8' / 2.44 M
 Length: 8' / 2.44 M
 Depth: 3'2" / 0.97 M
 Area: 44 ft² / 4 M²
 Volume:..... 550 G / 2,082 L



Width: 7' 1" / 1.8 M
 Length: 6' 11" / 1.8 M
 Depth: 3'3" / 0.99 M
 Area: 45 ft² / 4 M²
 Volume:..... 550 G / 2,082 L



Width: 7' 1" / 1.8 M
 Length: 6' 11" / 1.8 M
 Depth: 3'3" / 0.99 M
 Area: 45 ft² / 4 M²
 Volume:..... 550 G / 2,082 L



Width: 7' / 2.13 M
 Length: 10'3" / 3.12 M
 Depth: 3'2" / 0.97 M
 Area: 43 ft² / 4 M²
 Volume:..... 700 G / 2,650 L



Width: 8' / 2.44 M
 Length: 8' / 2.44 M
 Depth: 2'11" / 0.89 M
 Area: 42 ft² / 4 M²
 Volume:..... 450 G / 1,703 L



Width: 8' / 2.44 M
 Length: 8' / 2.44 M
 Depth: 3' / 0.91 M
 Area: 39 ft² / 4 M²
 Volume:..... 500 G / 1,893 L



Width: 6'10" / 2.08 M
 Length: 6'10" / 2.08 M
 Depth: 3' / 0.91 M
 Area: 30 ft² / 3 M²
 Volume:..... 350G / 1,325 L



Width: 6'1" / 1.85 M
 Length: 6'1" / 1.85 M
 Depth: 2'11" / 0.89 M
 Area: 26ft² / 2 M²
 Volume:..... 300 G / 1,136 L

Photo Gallery



Your Backyard Oasis Wish List

ONE

Name: _____ Cell Phone: _____
Email: _____ Home Phone: _____
Address: _____
City: _____ State: _____ Zip: _____

Create Your Own Backyard Oasis

TWO

San Juan Swimming Pool Model:

Choice: _____

San Juan Spa Model:

Choice: _____

Equipment Options

THREE

Pentair-----



Pump _____

Fountains _____

Filter _____

Water Feature _____

Hayward-----



Heater _____

Lighting _____

UV/Ozone _____

Automation _____

Jandy-----



Salt System _____

Pool Cleaner _____

Wish List Options

FOUR

- ☐ Winter Cover ☐ Auto
- ☐ Manual
- ☐ Leaf Cover
- ☐ Solar Blanket
- ☐ Hand Rails/Ladders
- ☐ Tanning Ledge
- ☐ Swim System

- ☐ Volleyball
- ☐ Diving Board
- ☐ Electric Heat Pump
- ☐ Gas Heater
- ☐ Solar Heating
- ☐ Water Fountains
- ☐ Deck Jets
- ☐ Bubblers

- ☐ Basketball
- ☐ Slide
- ☐ Water Falls/Sheer Desents
- ☐ Flaming Caldrons
- ☐ Fire Pits
- ☐ Outdoor Kitchen
- ☐ Patio Furniture
- ☐ Landscaping/Hardscape
- ☐ Irrigation
- ☐ Sound System

FIVE

INSTANT

Pool Estimate

test.SanJuanPools.com



HFS
Financial

100%

Financing Available

<https://hfsfinancial.net/promo/SanJuanCorpUSA>



SanJuanPools.com

800-535-SWIM (7946)